# **POTS Adapter**

#### Convert Your POTS to VoLTE









### **FAQ** - POTS Adapter



#### What is the POTS Adapter used for?

Our POTS Adapter is a dependable replacement for the industrial and commercial sectors, providing a reliable alternative to the traditional plain old telephone system (POTS). Elevator emergency systems, alarm systems, security systems, office landlines, and many other applications have traditionally relied on POTS for making outgoing calls to other stations. However, as POTS is gradually being phased out, there is a need for a suitable replacement. The POTS Adapter offers a solution to this challenge. For more product details, please visit our product page.



#### How many phone device(s) can the POTS Adapter support?

The adapter has 2 RJ-11 phone ports, allowing it to support 2 phones running in "party-line mode." This means that 2 phones can share a single phone line and number, which can be useful in situations where multiple phones need to be connected to the same line. With this setup, both phones will ring when a call comes in, but only one conversation can be held on the shared line.



# If there is no internet connection in the POTS Adapter, can it transmit voice call or alarm signals to another station?

No, once the POTS Adapter is disconnected from the internet, the voice data or alarm signal cannot be transmitted through the cellular data networks.



# Can I use the Peplink POTS Adapter to call 911 or access emergency services?

No. The Peplink POTS Adapter DOES NOT support 911 or E911 emergency calling. You will be notified of this limitation upon your first login and must acknowledge and accept it before using the device.



#### Can I use a Peplink eSIM Dataplan with the POTS Adapter?

The POTS Adapter needs a SIM that supports voice (VoLTE), and Peplink eSIM Dataplans are data-only. While the eSIM Dataplan can still provide data connectivity—for example, to reach InControl 2 for monitoring and provisioning—it cannot handle the Adapter's VoLTE voice functions.



### **FAQ** - POTS Adapter



#### What do the different LED behaviors mean?

Please refer to the following table:

LED	Light behavior	Description		
Status	Off	No power		
	RED	Booting up		
	Steady GREEN	Booted up		
	Blinking GREEN	Upgrading Firmware		
Phone	Off	No power		
	Blinking GREEN	Device has a voicemail		
	Steady GREEN	Device is registered successfully and ready for a call		
Cellular	OFF	No power or SIM card not inserted		
	Blinking slowly GREEN	Connecting to network		
	Steady GREEN	Connected to network		



## Are there any signal requirements, such as RSRQ/RSRP/SINR, that need to be met in order to place a call?

Yes, there are specific signal requirements like Reference Signal Received Power (RSRP), Reference Signal Received Quality (RSRQ), and Signal-to-Interference-plus-Noise Ratio (SINR) that are crucial for maintaining a reliable cellular connection, including placing calls. These parameters help assess the quality and strength of the signal in a cellular network.

VoLTE calls will not be dropped due to poor RSRP/RSRQ/SINR signals. These signals do, however, affect the quality of the connection. The voice quality of a traditional call may be impacted, but VoLTE utilizes QoS, jitter buffering, and audio compression to provide high-quality voice call services even in poor signal conditions without interruption. Nevertheless, we still recommend that users position their devices in a location with stable signals and avoid placing them at the edge of the signal coverage area, to prevent potential connection problems caused by real-world environments. The following table provides a reference for radio signal strength. We recommend medium signal strength as the minimum requirement for placing a stable VoLTE call.

RF Conditions	RSRP (dBm)	RSRQ (dB)	SINR (dB)
Excellent	>= -80	>= -10	,>= 20
Good	-80 to -90	-10 to -15	13 to 20
Medium	-90 to -100	-15 to -20	0 to 13
Cell Edge	<= -100	<= -20	<= 0



### **FAQ** - POTS Adapter



#### How is a VoLTE call service charged?

The charge for VoLTE call services varies between different service providers. Typically they charge for VoLTE calls in local call minutes, similar to traditional voice calls. Nevertheless, some carriers may charge based on local data alone or a combination of both. Therefore, it is advisable to contact your carrier to verify how VoLTE service is charged.



#### Does the POTS Adapter support a pre-paid SIM?

VoLTE service is independent of the SIM card type (prepaid or postpaid). However, in many cases, VoLTE service is not enabled on internet data-only SIM. Therefore, it is advisable to contact your carrier to verify if the SIM you use contains internet data only.



#### What is the cellular data consumption of using the POTS Adapter?

The actual consumption depends on the call length and the service provider. The actual data usage can be monitored on the InControl platform. In general, approximately 0.1 MB of data is consumed per minute call. Additionally, 2.2 MB of data is consumed daily to report usage information back to InControl.



#### What is InControl and why do I need it?

InControl allows you to remotely monitor POTS Adapters and maintain the provided service. InControl has many different statistics such as cellular WAN quality, POTS line statistics, and activity logs. It also allows for firmware upgrades or configuration. Notifications such as running on battery can be automatically reported. To register a device to InControl, please visit <a href="https://incontrol2.peplink.com/login/create\_account">https://incontrol2.peplink.com/login/create\_account</a>.



#### What external antenna and accessories are recommended?

For better signal coverage, we recommend the following products:

Peplink Mobility 20G antenna (White)

• Peplink Mobility 20G antenna (Black)

• 15ft Peplink extension cables

SKU Code: ANT-MB-20G-S-6-W SKU Code: ANT-MB-20G-S-6-B

SKU Code: EXC-SS-15